



Attorney Docket No. 1907.1290

GJC

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re Patent Application of:

Kwang-cheol OH et al.

Application No.: 10/721,271

ATTENTION

Confirmation No.: 6479

CERTIFICATE OF CORRECTION

Filed: November 26, 2003

BRANCH

U.S. Patent No.: 7,630,891

Issued: December 8, 2009

For: VOICE REGION DETECTION APPARATUS AND METHOD WITH COLOR NOISE
REMOVAL USING RUN STATISTICS (as Amended)

REQUEST FOR CERTIFICATE OF CORRECTION

Certificate

Commissioner for Patents
PO Box 1450
Alexandria, VA 22313-1450

JAN 27 2009

of Correction

Sir:

Patentees respectfully request that a Certificate of Correction be issued in the subject patent, pursuant to 35 USC § 254 and 37 CFR § 1.322/1.323, to correct the errors shown on the attached Form PTO-1050. A check in the amount of \$100 to cover the cost of the Certificate is attached.

One or more of the errors shown on the attached Form PTO-1050 is or are within the responsibility of the applicant; each thereof is of a clerical or typographical nature or of minor character and occurred in good faith, and the correction thereof is consistent with the prosecution record.

Respectfully submitted,

STAAS & HALSEY LLP

Date: JAN. 25, 2010

By: [Signature]
Gene M. Garner, II
Registration No. 34,172

1201 New York Ave, N.W., 7th Floor
Washington, D.C. 20005
Telephone: (202) 434-1500
Facsimile: (202) 434-1501

01/26/2010 LNUYEN1 00000020 7630891

01 FC:1811

100.00 OP

Under the Paperwork Reduction Act of 1995, no persons are required to respond to a collection of information unless it displays a valid OMB control number.
(Also Form PTO-1050)

UNITED STATES PATENT AND TRADEMARK OFFICE

CERTIFICATE OF CORRECTION

PATENT NO : 7,630,891

DATED : December 8, 2009

INVENTOR(S) : Kwang-cheol OH et al.

It is certified that error appears in the above-identified patent and that said Letters Patent are hereby corrected as shown below:

Column 10, Line 31, change "unit" to --unit;--.

Column 10, Line 35, change "frame" to --frame;--.

MAILING ADDRESS OF SENDER:
STAAS & HALSEY LLP
1201 New York Avenue, N.W.
7th Floor
Washington, DC 20005

PATENT NO. 7,630,891

No. of add'l copies
@ 304 per page

⇒